

Combating the Coronavirus pandemic

Personal Protective Equipment Catalogue



MoonMed - Your strategic partner in fighting
against CoViD19

Content

- 01** COVID-19 Rapid Test Kit
- 02** Plasma Air Sterilizer
- 03** Disposable Masks
- 04** IR Thermometer Gun
- 05** Protective Coveralls
- 06** Ventilators
- 07** Face Shields, Gloves, Goggles
- 08** Disinfection Liquid Sprayers



Part 1

COVID-19 Rapid Test Kit



About

COVID-19 IgM/IgG RAPID TEST KIT

The test has been used widely by the Chinese CDC to combat infections and is now available globally. This test detects both early marker and late marker, IgM/IgG antibodies in human finger-prick (capillary) or venous whole blood, serum, and plasma samples.

It can be used for rapid screening of carriers of the virus that are symptomatic or asymptomatic. Recent studies suggest that a high percentage of patients show no clinical symptoms of the virus, thus screening patients is vitally important. The test is ideally suited for hospitals, clinics and test laboratories. The test can also be effectively deployed in businesses, schools, airports, seaports and train stations, etc., giving it the potential to become a compelling force in the fight against this global threat.

NOTE: Updated USFDA guidance issued on March 16, 2020, allows the distribution of this product for diagnostic use in laboratories or by healthcare workers at the point-of-care. The updated policy can be viewed by clicking [here](#). Please see FAQ's below for more detailed information.

This product has CE-IVD registration.




How It Works



Steps

1. Collect blood/serum/plasma sample.
2. Add blood/serum/plasma sample to sample well.
3. Place 2-3 drops of buffer in sample well.
4. Read results after 10 minutes and no more than 15 minutes.

Results



Clinic Study Report of 2019-nCoV IgG IgM

Orient Gene

Page 1 of 1

Clinical Samples Study Report 2019-nCoV IgG/IgM rapid test cassette (Whole blood/Serum/Plasma)

Purpose

Evaluate the performance of Orient gene 2019-nCoV IgG/IgM rapid test cassette (Whole blood/Serum/Plasma) for testing clinical samples.

Materials

Orient gene device: 2019-nCoV IgG/IgM rapid test cassette (Whole Blood/Serum/Plasma)
Lot: 20200203, Exp: 01-2022

Clinical samples information

87 blood samples were collected from patients exhibiting pneumonia or respiratory symptoms.

Method

The Orient gene 2019-nCoV IgG/IgM rapid test has been evaluated with the 87 blood samples obtained from patients exhibiting pneumonia or respiratory symptoms. All samples have been tested in single with Orient gene device, the results were compared to RT-PCR or clinical diagnosis (including chest Computed Tomography and clinical signs etc.) of “Diagnosis and treatment of novel coronavirus pneumonia”.

Test procedure

Followed the package insert.

Results

Summary data of Orient gene 2019-nCoV IgG/IgM rapid test related to RT-PCR

		IgM		Total
		Positive	Negative	
RT-PCR	Positive	62	11	73
	Negative	0	14	14

30 out of 87 patients were in convalescence and all had positive IgG results.

Conclusion

The above results showed that:

The sensitivity of Orient gene 2019-nCoV IgM test is 84.9% (62/73) comparison to RT-PCR.

The sensitivity of Orient gene 2019-nCoV IgG test is 100% (30/30) in the convalescence patients.

14 samples were detected as negative by RT-PCR and Orient gene 2019-nCoV IgG/IgM rapid test.

Discussion:


If the test result is negative and clinical symptoms persist, additional testing using other clinical methods is recommended.

Like with all diagnostic tests, a confirmed diagnosis should only be made by a physician after all clinical and laboratory findings have been evaluated.

Product Overview

COVID-19 IgM/IgG RAPID TEST KIT

- Item code: COVIDRT-2
- Complies with: Article 9
98/79/EC directive
- Works with: Finger stick, Whole
Blood, Serum, or Plasma
- Each package includes:
 - 5 Cassettes
 - 5 Buffer Tubes
 - Alcohol Swabs
 - 25 Cassettes
 - 2 Buffer Tubes
 - 5 Lancets
 - 5 Pipettes
- Lead time: TBD
- Certificate: CE



Product Overview

COVISURE™

COVID-19 IgM/IgG Rapid Test (For in Vitro Diagnostic Use Only)

- COVID-19 Positive/Negative Results in 15 Minutes
- Works with Fingerstick, Whole Blood, Serum, or Plasma
- Increased Screening with IgM and IgG Antibody Detection
- Ideal High-Volume Screening Device to Compliment Nucleic Acid Tests





Figure 1. Days after symptoms appear


The human immune system is an incredibly effective defense mechanism in fighting and protecting the body against disease. When a patient is infected by the SARS-CoV-2 virus, the immune system will begin to form IgM antibodies as the first line of defense. While IgM antibodies are effective in the fight against infection, as the immune system mounts a more direct defense against the infection the body will begin to form specialized IgG antibodies. IgG antibodies are highly specific to the disease in question, they will appear in a later stage of the infection and remain in the body for some time after the infection has been defeated. The COVISURE COVID-19 IgM/IgG Rapid Test is designed to quickly detect and differentiate both the IgM and IgG antibodies produced by the immune system during a COVID-19 infection.


- The IgM antibody can be detected in patient specimen 3-6 days after infection
- Positive result indicate a presumptive infection
- Negative results are a presumptive indication of no infection


Analytes	COVID-19 IgM/IgG Ab
Sensitivity	93.3%
Specificity	100%
Accuracy	99.2%


Testing Procedure & Results

Finger Stick/Whole Blood Sampling Procedure

- 


1. Collect 20ul whole blood and add sample to the "sample well" on the test.
- 


2. Place 2-3 drops of buffer into the "sample well."
- 


3. Wait 15 minutes.
- 


4. Read results.

Serum/Plasma Testing Procedure

- 



1. Collect 10ul of serum/plasma.
- 

2. Add serum/plasma sample to "sample well."
- 

3. Place 2-3 drops of buffer in "sample well."
- 

4. Read results after 15 minutes.

Results



Product Overview

Rapid Test vs. Nucleic Acid

Test Results	Colloidal gold	Fluorescence-PCR
Test Time	15 minutes	3-4 hours
Operation Method	Simple without supporting equipment required	Complex with supporting equipment required
Portability	Highly portable and stable test device at room temperature. Testing can be conducted at Point of Care including certified small labs, clinics, or patient bedside.	Requires highly complex equipment only available in large hospitals

SARS-COV-2 Antigen and IgM/IgG Antibody Test Results & Clinic Significance

Test Results			Clinical Consideration
PCR (Ag test)	IgM Ab	IgG Ab	
+	-	-	Patients may be in the "window period" of SARS-COV-2 infection.
+	+	-	Patient may be in the early stage of infection, and the body's immune response first produced the antibody IgM, but no IgG was produced or the IgG content did not reach the detection limit of the diagnostic reagent.
+	-	+	Patients may be in late or recurrent stage of infection.
+	+	+	Patient is in the active phase of infection, but the human body has developed some immunity to SARS-COV-2 (the persistent antibody IgG has been produced).
-	+	-	Patient may be in the acute phase of SARS-COV-2 infection. At this time, nucleic acid test result need to be considered (PCR may be false negative).
-	-	+	Patient may have been infected with SARS-COV-2 in the past, but the patient has been recovered or the virus in body has been cleared.
-	+	+	Patient has recently been infected with SARS-COV-2 and is in the recovery stage. Or the nucleic acid test result is false negative and the patient is in the active infection stage.

Professional Lab Kit Includes:
25 Cassettes • 2 Buffer Tubes



Point of Care Kit Includes:
5 Cassettes • 5 Buffer Tubes • 5 Alcohol Swabs
5 Lancets • 5 Pipettes

EC Certificate



Shanghai International Holding Corporation GmbH (Europe)
Eiffestrasse 80, 20537 Hamburg Germany

To whom it may concern

Ihre Zeichen
YourRef.

Unsere Zeichen
Our Ref. 02PBJ267

Datum
Date: March 9, 2020

Declaration of Notification

The undersigned, JIN, Liang, General Manager of Shanghai International Holding Corporation GmbH (Europe), hereby declares that:


Hangzhou Clongene Biotech Co., Ltd.
No.1 Yichuang Road, Yuhang Sub-district, Yuhang District,
311121 Hangzhou
China

has signed the EC Declaration of Conformity in agreement with the Annex III of the European Directive 98/79/EC on In Vitro Diagnostic Medical Devices and has submitted the required technical documentation, for the following IVD product (for professional use only):

COVID-19 IgG/IgM Rapid Test

The notification to the German Competent Authorities has been carried out on March 9, 2020 by Shanghai International Holding Corporation GmbH (Europe), the appointed Authorized Representative of Hangzhou Clongene Biotech Co., Ltd.

JIN, Liang
General Manager
Shanghai International Holding Corporation GmbH (Europe)
Authorized Representative



Tel.:(49) 40 2513175
Fax.:(49) 40 255726
Mail:
shholding@hotmail.com

Amtsgericht Hamburg
HRB 56 583
Geschäftsführer:
Liang Jin


Finanzamt Hamburg
Steuer-Nr.22/795/00590
Ust-ID-Nr.DE166892350

Bankverbindungen
SEB AG Hamburg
BLZ 200 101 11
Konto:1343865200

Product Information

COVID-19 IgM/IgG RAPID TEST

- Item code: COVIDRT-1
- Complies with to: Article 9 of direction 98/79/EC
- Works with: Finger stick, Whole, Blood, Serum, or Plasma
- Package: 25 Test Cassette
- Lead time: TBD
- Certificate: EC



Part 2

Plasma Air Sterilizers



Product Overview

PLASMA AIR STERILIZERS

Cross Infection poses a significant risk factor associated with increased patient mortality


Hospital air contamination has been proven to contribute to patient comorbidity and eventually, mortality, while exposing medical staff to higher risk, ratcheting up medical costs and wasting valuable resources.

Application Range

Hospitals and Laboratory facilities, Private Health Clinics, Dental clinics, Beauty parlors, gyms and other indoor fitness centers, etc.



Working Flow



Note: configuration might be different according to actual room situations.

PURIFICATION & DISINFECTION MODULES

◆ Primary Filter

Collect large particles in air such as hair, suspended matters, dusts, etc.

◆ Middle Filter

Filter are made of 100% synthetic fibre to filtrate small dust and other suspending matters.

◆ Plasma Module

Generate huge amount of active oxygen ions, high energy radicals that very easily to oxidize microorganisms, mold, spores, protein and nucleic acid of virus and kill all kind of microorganisms.

◆ Spectrum Module

Generate UV of 240 - 280nm that kills airborne virus efficiently.

◆ Polymer Filter

Remove and absorb smell, ammonia, TVOC, HCHO, etc.

◆ HEPA

Removes 99% of 0.1µm and 0.3µm particles.



Product Overview

WALL-MOUNTED PLASMA AIR STERILIZER

- Item Code: KJF-B100
- Ambient: Temp.: -10°C--40°C,RH: ≤90%
- Air Pressure: 86kPa-106kPa
- Installation: Wall-Mounted
- Room Size: ≤100m³
- Noise dB(A): ≤53
- Control: via Remote control, Mobile APP, Display Terminal
- Dimension: 960x340x160mm
- Power Input: ≤55W
- Connection: WiFi, Bluetooth
- Net Weight: About 14Kg



Product Overview

MOBILE PLASMA AIR STERILIZER

- Item Code: KJF-Y100
- Ambient: Temp.: -10°C-40°C
- RH: ≤90%
- Air Pressure: 86kPa-106kPa
- Installation: Mobile Room
- Size: ≤100m³
- Noise dB(A): ≤50
- Control: Remote, Mobile APP
- Display Terminal
- Dimension: 340x340x960mm,
- Power Input: ≤50W (Single Module)
- Connection: WiFi, Bluetooth
- Gross Weight: Appox. 14Kg



Part 3

Disposable Masks



Product Overview

DISPOSABLE MASK

- Item code: FM-1
- Complies with GB/T 32610 safety standard
- 3 - ply
- Initial environment 400 CFU
- BFE \geq 95%
- Package: 50pcs/box, 40boxes/carton
- Dimensions (cm): 53x39x35cm, 8KG
- Weight (kg): 8
- Non Sterile
- Lead time: 1,000,000 pcs/day



50 PACK



Product Overview

DISPOSABLE FACIAL MASK

- Item code: MFM-1
- Specifications: YY/0969-2013 (Complies with EN14683 II)
- 3-ply
- Initial environment 100C FU
- BFE \geq 95%
- Package: 50pcs/box 40boxes/carton, 540*410*370, 8.5KG
- Non Sterile
- Lead time: 400,000pcs/day
- Certificate: CE



DISPOSABLE MEDICAL MASK

Non-sterile

BFE \geq 95%



50 PCS

SICHUAN LEZHI GUIJUN SANITARY MATERIAL CO., LTD

Product Overview

DISPOSABLE SURGICAL MASK

- Item code: SFM-1
- Specifications: YY/0469 (Complies with EN14683 IIR standards)
- 3-ply
- Initial environment 100C FU
- BFE≥95% PFE ≥30%
- Splash resistant ≤ 5.0 mmH2O/cm2
- Package: 50pcs/box 40boxes/carton, 540*410*370, 8.5KG
- Sterile or Non Sterile
- Lead time: 100,000pcs/day
- Certificate: CE



Product Overview

ANTI PARTICULATE RESPIRATOR

- Item code: KN95-1
- Complies with GB 2626 safety standard (Equivalent to EN149 FFP2)
- 4 ply
- Initial environment 100C FU
- BFE \geq 95%
- Package: 1pc /pouch, 20pouches/box, 36 boxes/carton
- Dimensions (mm): 500*400*435
- Carton weight: 7.1KG
- Non Sterile
- Lead time: 400,000pcs/day



Product Overview

PARTICULATE FILTERING FACEPIECE RESPIRATOR

- Item code: KN95-2
- Complies with: GB 2626 (Equal to EN149 FFP2)
- 4 ply
- Initial environment 100C FU
- BFE≥95%
- Package: 2pcs/pouch, 25pouches/box 20boxes/carton
- Dimensions (mm): 660*275*500
- Carton weight: 8.3KG
- Non Sterile
- Lead time: 400,000pcs/day
- Certificate: CE



泰诺尔 TAINUOER

自吸过滤式防颗粒物呼吸器

折叠式防护口罩
KN95 (FFP2) Protective Mask

GB2626-2006 KN95
EN149:2001+A1:2009 FFP2

CE LA

您的健康 我的责任
HEALTH CARE

四川泰诺尔科技有限公司
Sichuan Tenor Technology Co., LTD.

泰诺尔 TAINUOER

型号: 包装: 50个/盒
 25个/盒

佩戴方式:

注意:
使用前, 请仔细阅读说明书并理解正确使用事项, 请保留这些说明以便参考, 参见附录有提供名称。

使用:
防护在治理, 煤矿及石油等粉尘环境及工业, 建筑等其它粉尘环境中机械生产场所, 在作业场所佩戴1枚或数枚并经过相应检测以下的所有粉尘和烟雾, 特别适用于石膏, PM2.5, 病毒, 粉尘等颗粒物防护。

不可用:
烟雾和有害气体, 不能防护有毒气体和蒸气, 非口罩不产生蒸气, 不能在蒸气浓度低于10%的环境下使用, 不可用于负压呼吸器。

使用和存放:

- 在使用本呼吸器之前, 请通过预先接受正确使用的培训且合格后方可。
- 每次使用前请比对您自己脸部和呼吸器密封, 不可使用本呼吸器。
- 当呼吸器受潮, 头带或其它不清洁时, 应立即离开污染区域。
- 当防护口罩的呼吸阻力变得过大时, 应更换新口罩。
- 每次使用后应检查呼吸器以确保处于良好的工作状态, 检查呼吸器是否有损坏, 如折断头带, 鼻夹或密封, 是否有损坏的迹象。
- 干燥, 清洁, 通风处存放呼吸器。

储存条件和有效期:
本呼吸器产品在保证储存温度在-20℃至+30℃范围内, 相对湿度低于80%的环境下, 有效期为从生产之日起五年。

警告:

- 本产品只用于对颗粒物粒物的呼吸防护。
- 请严格按照呼吸器使用说明书。
- 除了了解使用的方法, 请参见包装上说明。

注册号: GB2626-2006 KN95 EN: 149:2001+A1:2009 FFP2
生产许可证号: J111002-2011-2014
制造商: 四川泰诺尔科技有限公司
地址: 四川省绵阳市涪城经济开发区
官方网站: www.tainuoer.com

CE LA

Part 4

IR Thermometer Gun



Product Information

INFRARED FOREHEAD THERMOMETER

- Item code: FT-100B
- Complies with EN ISO 13485:2016
- Measurement site: Forehead
(non-contact, 1-3cm)
- Measurement :
28.0~42.9range:
Body temperature mode°C(82.4°F~109.2°F)
Environment temperature mode:
28.0~50.0°C(82.4°F~109.2°F)
- Package: 60pcs/Carton
- Lead time:
- Certificate: ISO: EX 60133014000
EC: DD 60133013 0001



Introduction video:

<https://youtu.be/XmWu-x7mLaY>

Product Overview



Package Box Overview

<ul style="list-style-type: none"> ✓ Forehead Mode Object Mode ✓ 32 memories ✓ Beeper ✓ Range(body mode): 28.0-42.9°C or 82.4-109.2°F ✓ Operating Temperature: 10-40°C(50-104°F) ✓ Battery: 2×1.5V AAA alkaline battery <div style="text-align: center;">  <p>(Forehead Mode)</p> </div> <div style="text-align: center;">  <p>(Scan)</p> </div> <div style="text-align: center;">  <p>(Readout)</p> </div>	<p>UniverHealth®</p> <p>Infrared Thermometer</p> 	<p>Temperature indicator</p> <div style="display: flex; flex-direction: column; align-items: center;"> <div style="display: flex; align-items: center; margin-bottom: 10px;"> <div style="background-color: #4CAF50; color: white; padding: 10px; border-radius: 5px; text-align: center; width: 60px;">37.0°C</div> <div style="margin-left: 10px;"> <p>Green T<37.5°C</p> </div> </div> <div style="display: flex; align-items: center; margin-bottom: 10px;"> <div style="background-color: #FFC107; color: black; padding: 10px; border-radius: 5px; text-align: center; width: 60px;">37.6°C</div> <div style="margin-left: 10px;"> <p>Orange 37.5°C≤T<38.0°C</p> </div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #F44336; color: white; padding: 10px; border-radius: 5px; text-align: center; width: 60px;">38.0°C</div> <div style="margin-left: 10px;"> <p>Red 38.0°C≤T</p> </div> </div> </div> <p>Manufacturer: Hangzhou Universal Electronic Co.,Ltd. 298 Yunxi Road,Gangqian Street Yuhang District,Hangzhou 311121, Zhejiang,China</p> <p>EC REP Authorized representative in the European Community ProInx GmbH Brehmstr.56,40239 Düsseldorf, Germany</p> <p style="text-align: right;">Mar2020.ver.1</p>	<p>UniverHealth®</p> <p>Infrared Thermometer</p> 
 <p>Model: FT-100B</p>	 <p>Model: FT-100B</p>		

Part 5

Protective Coveralls



Product Overview

DISPOSABLE PROTECTIVE COVERALLS

- Item code: PC-W; ISO13485
- Certificate: FDA
- EO Sterilize
- Complies with: single-use protective apparel safety requirements for medical applications (GB19082-2009)
- Recommended Applications: Healthcare and Industry
- Features: Disposable. Enhanced protection (Taped seams + Velcro design for extra comfort and ease of operation). Triple Barrier (offers protection against liquid splashes, hazardous air-borne sprays and certain biological contaminants). Four various styles available (light and permeable, overhang design+ slim fits, anti-static, non-irritant)
- Material: PP non-woven fabric (30gsm) + Breathable film (30gsm) + glue (3gsm)
- Lead time: TBD
- Package: 50 pcs/ carton

Product Overview

Quality Guarantee Trustworthy
Inspection Report Safety Protection



Fine cutting Professional protection



Quality Guarantee Trustworthy
COVERALLS SIZE DETAILS

unit:cm

Model	Lenght	Chest	Sleeve length	Sleeve opening	Ankle opening
160	165	120	84	18	24
165	169	125	86	18	24
170	173	130	90	18	24
175	178	135	93	18	24
180	181	140	96	18	24
185	188	145	99	18	24
Error	±2	±2	±2	±2	±2

Product Overview

SINGLE-USE ISOLATION GOWN

- Item code: IC-W; ISO13485
- Certificate: FDA
- EO Sterilize
- Complies with: ISO 13485:2016
- Recommended Industry: Typical applications may include: Public & Private Healthcare sectors, Industry, Gov't agencies (Environmental Protection and Sanitation Department Employees, Law-enforcement and road construction, etc.
- Features: Disposable. Offers dual protection (Taped Seams + Velcro patches for increased ease of use). Triple Barrier (provides protection against splashes, hazardous air-borne sprays and certain biological contaminants). Four types of design available (light and permeable, overhang design slim fits, anti-static, non-irritant)
- Material: PP non-woven fabric (37gsm) + PE film (28gsm)
- Lead time: TBD
- Package 50 pcs/carton

Product Overview

Quality Guarantee Trustworthy
Inspection Report Safety Protection



Quality Guarantee Trustworthy
COVERALLS SIZE DETAILS

unit: cm

Model	Length	Chest	Sleeve length	Sleeve opening	Ankle opening
160	165	120	84	18	24
165	169	125	86	18	24
170	173	130	90	18	24
175	178	135	93	18	24
180	181	140	96	18	24
185	188	145	99	18	24
Error	±2	±2	±2	±2	±2

Product Overview

DISPOSABLE PROTECTIVE COVERALLS

- Item code: PC-W2; ISO13485
- Certificate: CE FDA
- EO Sterilize
- Complies with: ISO 13485:2016
- Recommended Industry: Typical applications may include: Medical outpatient department, sick room, inspection chamber, lab room, ICU, CDC and other clinical protective place, Effective fight against virus
- Feature: Disposable (special safety). Offers dual protection (Taped Seams + Velcro patches for extra ease of use). Triple Barrier (protects against splashes, hazardous air-borne sprays and certain biological contaminants). Four options available (light and permeable, overhang design+ slim fits, anti-static, non-irritant)
- Material: PP non-woven fabric (30gsm) + Breathable film (30gsm) + glue (3gsm)
- Lead time: TBD
- Package: 40 pcs/carton

Product Overview



Quality Guarantee Trustworthy

COVERALLS SIZE DETAILS

unit:cm

Model	Lenght	Chest	Sleeve length	Sleeve opening	Ankle opening
160	165	120	84	18	24
165	169	125	86	18	24
170	173	130	90	18	24
175	178	135	93	18	24
180	181	140	96	18	24
185	188	145	99	18	24
Error	±2	±2	±2	±2	±2

Product Overview

DISPOSABLE PROTECTIVE COVERALLS

- Item code: TWJ-Tape-01
- Certificate: CE
- None-sterilize
- Complies with: ISO 13485:2016
- Recommended applications: can be used in a wide range of settings - healthcare and industry (both out- and indoors).
Offers effective viral protection.
- Features: extra protection against liquid splashes, extends all the way to the neck; reliable seal;
Cotton-knitted, elasticated cuffs for extra comfort; breathable, anti-sweat material.
- Product Style: Coveralls
- Color: White
- Lead time: 5000-12000 pcs/day
- Package: 20pcs/box
- Dimensions (cm): 40*30*35
- Weight (kg): 4.95

Product Overview



Product Overview

DISPOSABLE ISOLATION COVERALLS

- Item code: IC-B
- Certificate: FDA; ISO 13485
- According to: ISO 13485: 2016
- Recommended Industry: Typical applications may include: Apartment gate, street, office, community, city traffic crossroad, company, medical out patient, inspection chamber, lab., ect.
- Features: Disposable (special safety). Double Protection (Taped Seams + Velcro Design make it easier to operate). Triple Barrier (help provide barrier protection against liquid splashes, hazardous dusts, and certain biological contaminants). Four kinds of comfortable (light and permeable, overhang design slim fits, anti-static, non-irritant).
- Material: PP non-woven fabric (36gsm) + PE film (28gsm)
- Lead time: 5000 pcs/day
- Package: 50pcs/box



Part 6

Ventilators



Product Overview

VENTILATOR

- Item code: PA-500
- Display: LED
- Ventilation Mode: A/C, IPPV, SIPPV, IMV, SIMV, MANUAL
- Minute Volume: Greater than or equal to 18L
- Back-up Power Supply: At least 4 hours
- Tidal Volume: Adjustable range: 50-1500ml, Display range: 0-2000ml
- Output Oxygen Concentration: < 50%
- Respiratory Rate: 6-60bpm
- Pressure Limit: 1-6kPa
- Inspiratory/Expiratory (I:E) Ratio: 1:1.5-1:3.0
- PEEP: 1-10cmH₂O
- SIMV Rate: 1-12bpm
- Inspiratory Pressure Trigger: -4-10cmH₂O
- Maximum Safe Operating Pressure: ≤6.0 kPa
- SIGH: 1 sigh breath in every 80-120 breaths
- Airway Pressure Alarm: Upper Limit: 0.9~5.4kPa, Lower Limit: 0.5kPa
- Gas Supply Requirement: 280~600 kPa medical grade oxygen
- Size (mm): 660*520*1110
- Gross Weight(KG): 40
- Lead time: TBD



Product Overview

VENTILATOR

- Item code: PA-700B-(III)
- Display: 10.4 inch high visibility color TFT display
- Ventilation Mode: A/C, IPPV, SIPPV, IMV, SIMV, Standby, SPONT MANUAL
- Minute Volume: Greater than or equal to 18L
- Back-up Power Supply: At least 4 hours
- Tidal Volume: Adjustable range: 50-1500ml, Display range: 0-2000ml
- Respiratory Rate: 1-99bpm
- Inspiratory/expiratory (I:E) Ratio: 4:1-1:4
- PEEP: 0-10cmH₂O
- SIMV Rate: 1-20bpm
- Inspiratory Pressure Trigger: -10-10cmH₂O
- Inspiratory Plateau: Adjustable from 0-50% of inspiratory time
- Adjustable Oxygen Concentration: 45-100%
- Gas Supply Requirement: 280 ~ 600 kPa medical grade oxygen and compressed air supply



Product Overview

VENTILATOR

- Pressure Limit: 1.0kPa~6.0kPa
- Maximum Safe Operating Pressure: ≤ 6.0 kPa
- Tidal Volume Alarm: Upper Limit: 10~2000ml, Lower Limit: 0~1800ml
- Airway Pressure Alarm: Upper Limit: 0.1~6kPa, Lower Limit: 0~5kPa
- Oxygen Concentration Alarm: Upper Limit: 22~100%, Lower Limit: 21~80%
- Air compressor PN-3000
- Dimensions (mm): 660*520*390, 700*700*560, 440*300*380, 930*265*240
- Gross Weight(KG): 99 KG
- Lead time: TBD



Product Overview

VENTILATOR

- Item code: PA-900B-(III)
- Minute Volume: Greater than or equal to 18L
- Back-up Power Supply: At least 4 hours
- Tidal Volume: Adjustable range: 20-1500ml, Display range: 0-2000ml
- Respiratory Rate: 1-99bpm
- Inspiratory/expiratory (I:E) ratio: 4:1-1:4
- PEEP: 0-10cmH2O
- SIMV Rate: 1-20bpm
- Inspiratory Pressure Trigger: -10-10cmH2O
- Trigger Sensitivity (flow): 1-10L/m
- Inspiratory Plateau: Adjustable from 0-50% of inspiratory time
- Adjustable Oxygen Concentration: 45-100%
- Gas Supply Requirement: 280, 600 kPa medical grade oxygen and compressed air supply



Product Overview

VENTILATOR


- Pressure Limit: 1.0kPa~6.0kPa
- Maximum Safe Operating Pressure: ≤ 6.0 kPa
- Tidal Volume Alarm: Upper Limit: 10~2000ml, Lower Limit: 0~1800ml
- Airway Pressure Alarm: Upper Limit: 0.1~6kPa, Lower Limit: 0~5kPa
- Oxygen Concentration Alarm: Upper Limit: 22~100%, Lower Limit: 21~80%
- Air compressor PN-3000
- Dimensions (mm): 650*495*470; 700*700*560;440*300*380;930*265*240 101KG
- Lead time: TBD



Product Overview

VENTILATOR

- Item code: AV-2000B3
- Displa: Large colored LED, big front display
- Temperature control: 9-gear temperature control system with overheating protection feature
- Easy to maintain and service
- Lead time: TBD



Product Overview

VENTILATOR

- Possible applications: healthcare sector. Equipped with a built-in air compressor for external air supply



Part 7

Face Shields, Gloves, Goggles



Product Overview

FACE SHIELD

- Item code: FS-1
- Standard: PPE
- Package:200 pcs/carton
- Dimensions (cm): 69*39.5*37.5
- Gross weight (kg): 7.6/carton
- Lead time: TBD



Product Overview

DISPOSABLE NITRILE MEDICAL EXAMINATION GLOVES

- Item code: EG-1
- Standard: PPE
- Package: 50 pairs/box*10 boxes/carton 500pairs/carton
- Dimensions (mm): 315*232*210
- Weight: 0.98 inch-4.8kg/carton; 1.3 inch-6.5kg/carton
- Lead time: 600,000 pcs/day
- Certificate: CE



Product Overview

DISPOSABLE NITRILE MEDICAL EXAMINATION GLOVES

Model:

- 9 inch: S, M, L, XL, XXL
- 12 inch: S, M, L, XL, XXL



Size	XS	S	M	L	XL	Customization
Length	240mm±10	240mm±10	240mm±10	240mm±10	240mm±10	
	300mm±10	300mm±10	300mm±10	300mm±10	300mm±10	
Width	70mm±10	80mm±10	95mm±10	110mm±10	120mm±10	
Weight	3-6Gram					
Package	100pcs/box 10boxes/carton	50pcs/box 20boxes/carton	100pcs/box 20boxes/carton	200pcs/box 10boxes/carton		

Product Overview

MEDICAL PROTECTIVE GOGGLES

- Item code: G-4
- Standard: EN166
- Package: 200 pcs/carton
- Dimensions (mm): 550*550*550
- Weight (kg): 7.6
- Lead time (days): 7
- Certification: CE FDA



Product Overview

PROTECTIVE GOGGLES FOR HEALTHCARE PROFESSIONALS

- Item code: G-3
- Standard: EN166
- Package: 250 pcs/carton
- Dimensions (mm): 860*350*480
- Weight (kg): 10
- Lead time (days): 7
- Certification: CE



Product Overview

PROTECTION GOGGLES

- Item code: G-1
- Standard: PPE
- Package: 300boxes/carton
- Dimension (mm): 850*330*480mm
- Weight (kg): 17
- Lead time (days): 7 days
- Certificate: no CE



Part 8

Disinfection Liquid Sprayers



Product Overview

MANUAL SPRAYER

- Item code: S-1
- Operating mode: Manual press
- Product capacity (L): 16
- Working pressure: 0.2-0.4mpa
- Package: 39*22.5*47.5
- Weight (kg): 3.5
- Lead time: TBD



Product Overview

ELECTRIC SPRAYER

- Item code: S-2
- Operating mode: Electric
- Product capacity (L): 16
- Working pressure: 0.2-0.45mpa
- Package: 41*22*49
- Weight (kg): 5.3
- Lead time: TBD





Find more, win-win cooperation

[CONTACT US](#)

MOONMED
Healthcare Technology Solutions

✉ paul@moonmed.com
✉ sales@moonmed.com
🌐 www.moonmed.com

Images and parameters herein are only for reference and subjecte to change without notice.
All rights reserved. ©MoonMed 2020